


The background is a dark gray. In the top right, there is a large, light gray circle with a vertical white line passing through its center, ending in a small white dot. In the bottom left, there is a large, white, smooth, rounded shape. In the bottom right, there is a large, light gray circle with a fine, pebbled texture. The text is positioned in the upper left area.

sientra®

HSC & HSC+

Breast Implant Product Catalog

Featuring the NEW 107 HSC+
Smooth Round Implants

HSC Textured Round Low Projection



WTH cm	PROJ cm	VOL cc	IMPLANT REFERENCE
10.5	2.5	160cc	20610-160LP
11.4	2.6	190cc	20610-190LP
12.1	2.7	220cc	20610-220LP
12.3	2.8	250cc	20610-250LP
13.0	2.9	280cc	20610-280LP
13.4	3.0	310cc	20610-310LP
13.7	3.1	340cc	20610-340LP
14.5	3.1	370cc	20610-370LP
14.8	3.2	400cc	20610-400LP
15.4	3.2	450cc	20610-450LP
15.9	3.3	500cc	20610-500LP
16.5	3.5	550cc	20610-550LP
17.0	3.7	600cc	20610-600LP
17.5	3.8	650cc	20610-650LP
17.9	3.8	700cc	20610-700LP

HSC Textured Round Moderate Plus Projection



WTH cm	PROJ cm	VOL cc	IMPLANT REFERENCE	SIZER REFERENCE
9.3	3.7	175cc	20621-175MP	SZ10621-175MP
9.7	3.9	195cc	20621-195MP	SZ10621-195MP
10.0	3.9	215cc	20621-215MP	SZ10621-215MP
10.5	3.9	235cc	20621-235MP	SZ10621-235MP
11.0	3.9	255cc	20621-255MP	SZ10621-255MP
11.4	4.0	285cc	20621-285MP	SZ10621-285MP
11.7	4.0	305cc	20621-305MP	SZ10621-305MP
11.8	4.4	325cc	20621-325MP	SZ10621-325MP
12.1	4.4	355cc	20621-355MP	SZ10621-355MP
12.5	4.5	385cc	20621-385MP	SZ10621-385MP
12.9	4.6	415cc	20621-415MP	SZ10621-415MP
13.2	4.6	435cc	20621-435MP	SZ10621-435MP
13.3	4.8	455cc	20621-455MP	SZ10621-455MP
13.6	4.8	485cc	20621-485MP	SZ10621-485MP
13.7	4.9	505cc	20621-505MP	SZ10621-505MP
13.8	5.0	525cc	20621-525MP	SZ10621-525MP
13.9	5.1	540cc	20621-540MP	SZ10621-540MP
14.1	5.2	575cc	20621-575MP	SZ10621-575MP
14.3	5.3	590cc	20621-590MP	SZ10621-590MP
14.6	5.3	625cc	20621-625MP	SZ10621-625MP
14.8	5.4	650cc	20621-650MP	SZ10621-650MP
15.1	5.5	695cc	20621-695MP	SZ10621-695MP

HSC Textured Round High Projection




WTH cm	PROJ cm	VOL cc	IMPLANT REFERENCE	SIZER REFERENCE
9.6	4.0	190cc	20621-190HP	SZ10621-190HP
9.9	4.1	205cc	20621-205HP	SZ10621-205HP
10.2	4.2	225cc	20621-225HP	SZ10621-225HP
10.5	4.3	240cc	20621-240HP	SZ10621-240HP
10.8	4.4	255cc	20621-255HP	SZ10621-255HP
11.1	4.5	280cc	20621-280HP	SZ10621-280HP
11.4	4.6	300cc	20621-300HP	SZ10621-300HP
11.7	4.7	330cc	20621-330HP	SZ10621-330HP
12.0	4.8	350cc	20621-350HP	SZ10621-350HP
12.3	4.9	385cc	20621-385HP	SZ10621-385HP
12.5	5.0	415cc	20621-415HP	SZ10621-415HP
12.8	5.1	440cc	20621-440HP	SZ10621-440HP
13.1	5.2	470cc	20621-470HP	SZ10621-470HP
13.4	5.3	505cc	20621-505HP	SZ10621-505HP
13.7	5.4	535cc	20621-535HP	SZ10621-535HP
14.0	5.5	565cc	20621-565HP	SZ10621-565HP

HSC+ Textured Shaped Oval Base Low Projection



WTH cm	HT cm	PROJ cm	VOL cc	IMPLANT REFERENCE
11.3	9.8	2.8	170cc	20645-170LP
12.3	10.6	3.1	220cc	20645-220LP
13.3	11.1	3.3	270cc	20645-270LP
14.3	12.1	3.5	320cc	20645-320LP
15.4	13.1	3.7	410cc	20645-410LP
16.3	13.8	4.1	500cc	20645-500LP

HSC+ Textured Shaped Oval Base Moderate Projection




WTH cm	HT cm	PROJ cm	VOL cc	IMPLANT REFERENCE	SIZER REFERENCE
10.0	8.9	3.9	180cc	20645-180MP	
11.0	9.6	4.0	210cc	20645-210MP	SZ20645-210MP
12.0	10.3	4.2	250cc	20645-250MP	SZ20645-250MP
12.3	10.7	4.5	290cc	20645-290MP	SZ20645-290MP
13.0	11.2	4.5	330cc	20645-330MP	SZ20645-330MP
13.4	11.4	4.7	370cc	20645-370MP	SZ20645-370MP
13.7	11.8	4.9	400cc	20645-400MP	SZ20645-400MP
14.1	12.2	5.1	450cc	20645-450MP	SZ20645-450MP
14.7	12.8	5.3	500cc	20645-500MP	SZ20645-500MP
15.2	13.1	5.4	550cc	20645-550MP	SZ20645-550MP
16.0	13.8	5.5	600cc	20645-600MP	SZ20645-600MP
16.6	14.3	5.7	650cc	20645-650MP	SZ20645-650MP
16.9	14.5	5.9	700cc	20645-700MP	SZ20645-700MP

HSC+ Textured Shaped Oval Base High Projection



WTH cm	HT cm	PROJ cm	VOL cc	IMPLANT REFERENCE	SIZER REFERENCE
9.8	8.3	4.3	180cc	20645-180HP	
10.5	8.9	4.7	240cc	20645-240HP	SZ20645-240HP
11.4	10.1	5.0	300cc	20645-300HP	SZ20645-300HP
12.5	10.8	5.3	370cc	20645-370HP	SZ20645-370HP
13.5	11.5	5.7	480cc	20645-480HP	SZ20645-480HP
14.6	12.4	5.8	550cc	20645-550HP	SZ20645-550HP

HSC+ Textured Shaped
Round Base
High Projection



WTH cm	PROJ cm	VOL cc	IMPLANT REFERENCE	SIZER REFERENCE
9.8	4.9	200cc	20646-200RB	
9.9	5.0	220cc	20646-220RB	SZ20646-220RB
10.1	5.1	235cc	20646-235RB	SZ20646-235RB
10.4	5.2	255cc	20646-255RB	SZ20646-255RB
10.7	5.3	270cc	20646-270RB	SZ20646-270RB
11.3	5.5	320cc	20646-320RB	SZ20646-320RB
11.9	5.7	370cc	20646-370RB	SZ20646-370RB
12.5	5.8	425cc	20646-425RB	SZ20646-425RB
13.1	6.1	485cc	20646-485RB	

HSC+ Textured Shaped
Classic Base
Moderate Projection




WTH cm	HT cm	PROJ cm	VOL cc	IMPLANT REFERENCE	SIZER REFERENCE
9.5	10.5	3.6	180cc	20676-180E	SZ20676-180E
10.0	11.0	3.8	210cc	20676-210E	SZ20676-210E
10.5	11.5	4.0	240cc	20676-240E	SZ20676-240E
11.0	12.0	4.2	275cc	20676-275E	SZ20676-275E
11.5	12.5	4.4	310cc	20676-310E	SZ20676-310E
12.0	13.0	4.6	350cc	20676-350E	SZ20676-350E
12.5	13.5	4.8	400cc	20676-400E	SZ20676-400E
13.0	14.0	5.0	450cc	20676-450E	SZ20676-450E

HSC Smooth Round
Low Projection




WTH cm	PROJ cm	VOL cc	IMPLANT REFERENCE
10.5	2.5	160cc	10610-160LP
11.4	2.6	190cc	10610-190LP
12.1	2.7	220cc	10610-220LP
12.3	2.8	250cc	10610-250LP
13.0	2.9	280cc	10610-280LP
13.4	3.0	310cc	10610-310LP
13.7	3.1	340cc	10610-340LP
14.5	3.1	370cc	10610-370LP
14.8	3.2	400cc	10610-400LP
15.4	3.2	450cc	10610-450LP
15.9	3.3	500cc	10610-500LP
16.5	3.5	550cc	10610-550LP
17.0	3.7	600cc	10610-600LP
17.5	3.8	650cc	10610-650LP
17.9	3.8	700cc	10610-700LP

HSC & HSC+ Smooth Round
Moderate Plus Projection



WTH cm	PROJ cm	VOL cc	HSC IMPLANT REFERENCE	HSC+ IMPLANT REFERENCE	SIZER REFERENCE
9.3	3.7	175cc	10621-175MP	10721-175MP	SZ10621-175MP
9.7	3.9	195cc	10621-195MP	10721-195MP	SZ10621-195MP
10.0	3.9	215cc	10621-215MP	10721-215MP	SZ10621-215MP
10.5	3.9	235cc	10621-235MP	10721-235MP	SZ10621-235MP
11.0	3.9	255cc	10621-255MP	10721-255MP	SZ10621-255MP
11.4	4.0	285cc	10621-285MP	10721-285MP	SZ10621-285MP
11.7	4.0	305cc	10621-305MP	10721-305MP	SZ10621-305MP
11.8	4.4	325cc	10621-325MP	10721-325MP	SZ10621-325MP
12.1	4.4	355cc	10621-355MP	10721-355MP	SZ10621-355MP
12.5	4.5	385cc	10621-385MP	10721-385MP	SZ10621-385MP
12.9	4.6	415cc	10621-415MP		SZ10621-415MP
13.2	4.6	435cc	10621-435MP	10721-435MP	SZ10621-435MP
13.3	4.8	455cc	10621-455MP		SZ10621-455MP
13.6	4.8	485cc	10621-485MP	10721-485MP	SZ10621-485MP
13.7	4.9	505cc	10621-505MP		SZ10621-505MP
13.8	5.0	525cc	10621-525MP	10721-525MP	SZ10621-525MP
13.9	5.1	540cc	10621-540MP		SZ10621-540MP
14.1	5.2	575cc	10621-575MP	10721-575MP	SZ10621-575MP
14.3	5.3	590cc	10621-590MP		SZ10621-590MP
14.6	5.3	625cc	10621-625MP	10721-625MP	SZ10621-625MP
14.8	5.4	650cc	10621-650MP		SZ10621-650MP
15.1	5.5	695cc	10621-695MP	10721-695MP	SZ10621-695MP

HSC & HSC+ Smooth Round
High Projection



WTH cm	PROJ cm	VOL cc	HSC IMPLANT REFERENCE	HSC+ IMPLANT REFERENCE	SIZER REFERENCE
9.6	4.0	190cc	10621-190HP	10721-190HP	SZ10621-190HP
9.9	4.1	205cc	10621-205HP	10721-205HP	SZ10621-205HP
10.2	4.2	225cc	10621-225HP	10721-225HP	SZ10621-225HP
10.5	4.3	240cc	10621-240HP	10721-240HP	SZ10621-240HP
10.8	4.4	255cc	10621-255HP	10721-255HP	SZ10621-255HP
11.1	4.5	280cc	10621-280HP	10721-280HP	SZ10621-280HP
11.4	4.6	300cc	10621-300HP	10721-300HP	SZ10621-300HP
11.7	4.7	330cc	10621-330HP	10721-330HP	SZ10621-330HP
12.0	4.8	350cc	10621-350HP	10721-350HP	SZ10621-350HP
12.3	4.9	385cc	10621-385HP	10721-385HP	SZ10621-385HP
12.5	5.0	415cc	10621-415HP	10721-415HP	SZ10621-415HP
12.8	5.1	440cc	10621-440HP	10721-440HP	SZ10621-440HP
13.1	5.2	470cc	10621-470HP		SZ10621-470HP
13.4	5.3	505cc	10621-505HP	10721-505HP	SZ10621-505HP
13.7	5.4	535cc	10621-535HP		SZ10621-535HP
14.0	5.5	565cc	10621-565HP	10721-565HP	SZ10621-565HP

HSC Smooth Round Moderate Projection



WTH cm	PROJ cm	VOL cc	IMPLANT REFERENCE
10.3	3.2	190cc	10512-190MP
10.7	3.2	210cc	10512-210MP
11.1	3.2	230cc	10512-230MP
11.4	3.3	250cc	10512-250MP
11.8	3.4	270cc	10512-270MP
12.0	3.6	300cc	10512-300MP
12.3	3.7	320cc	10512-320MP
12.5	3.9	350cc	10512-350MP
12.8	4.1	380cc	10512-380MP
13.0	4.1	410cc	10512-410MP
13.4	4.2	440cc	10512-440MP
13.7	4.3	470cc	10512-470MP
14.0	4.3	510cc	10512-510MP
14.8	4.3	550cc	10512-550MP
15.4	4.4	600cc	10512-600MP
15.8	4.5	650cc	10512-650MP
16.1	4.7	700cc	10512-700MP

○ = Smooth ● = Textured

Caution: Federal (USA) law restricts these devices to sale by or on the order of a physician.

sientra.

PO Box 1490
Santa Barbara, CA 93116-1490
Toll Free: 888.708.0808
sientra.com